

# **RICHCUT 617V**

## SECTION I PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER Product Name RICHCUT 61 n/

### RECOMMENDED USE AND RESTRICTIONS ON USE Metal working Fluid

COMPANY IDENTIFICATION

Varouh Oil, Inc. www.varouhoil.com

### EMERGENCY TELEPHONE NUMBER

24 Hour Emergency Phone Number Health& Safeway; Transportation) CHEMTREC - (800) 424-9300

## SECTION 2 HAZARDS IDENTIFICATION

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

### GHS CLASSIFICATION

Product has not been tested as a whole to determine its GHS classification. Hazard categories are based on individual ingredient hazard categories. Refer Section 16 for additional GHS Phrases.

GHS Hazard Class	GHS Hazard Category
Serious Eye Damage/Eye Irritation	2B
Skin Corrosion/Irritation	3

GHS LABEL ELEMENTS Pictogram

None

**GHS Hazard Phrases** 

H316 - Causes mild skin irritation. H320 - Causes eye irritation.

**GHS** Precaution Phrases

P264 - Wash hands thoroughly aner handling.

#### GHS Response Phrases

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313 - If skin irritation occurs, get medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases WA

## Page 1 of 6

## POTENTIAL HEALTH EFFECTS (Acute and Chronic)

Chronic: Prolonged or repeated contact may irritate the skin, causing dermatitis. Effects may be delayed.

Acute-Inhalation High airborne concentrations of vapors resulting from heating, misting or spraying may cause irritation of the respiratory tract and mucous membranes.

Acute-Skin	Repeated or prolonged skin contact may cause irritation.
Contact	May cause eye irritation.
Acute-Eye Contact	May cause irritation.
Acute-ingestion	

SECTION 2

ECTION 3 COMPOSITION / INFORMATION		GREDIENTS
CAS Number	Ingredients*	Percentage Range
102-71-6	Triethanolamine	1-10
141-43-5	Ethanol, 2-Amino-	1-5

\*Identity of other chemicals and/or exact percentage (concentration) has been withheld as a trade secret.

SECTION 4	FIRST AID MEASURES	
ΙΝ CASE OF ΙΝΠΑΓΑΤΙΟΝ		

## IN CASE OF INHALATION

Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do not use mouth-tomouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

## IN CASE OF SKIN CONTACT

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.

## IN CASE OF EYE CONTACT

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Assure adequate flushing by separating the eyelids with fingers. Get medical aid.

#### IN CASE OF INGESTION

Do NOT induce vomiting. If victim is conscious and alert, rinse mouth and drink 2-4 cupful's of milk or water. Never give anything by mouth to an unconscious person. If swallowed, wash out mouth with water provided person is conscious. Get medical aid.

#### SIGNS AND SYMPTOMS OF EXPOSURE

The chemical, physical, and toxicological properties of the product are not investigated. To the best of our knowledge, based on ingredients, the most important known symptoms and effects are described in section 2.

#### NOTE TO PHYSICIAN

Treat symptomatically and supportively. It is advisable not to induce vomiting due to the risk of aspiration and it is not usually necessary unless a large amount has been ingested or it has been contaminated with another product.

SECTION 5		FIRE FI	GHTING MEA	SURES		
Fl <u>ash</u> Point	N/A	Explosive Limits	LEL•. N/D	UEL: N/D Flash Point Method	PMCC	Auto Ignition
Point	N/D					

## SUITABLE O(TINGUISHING MEDIA

Use dry sand or earth to smother fire. Use extinguishing media appropriate to surrounding fire conditions. For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

#### N/A ==

## FIRE FIGHTING INSTRUCTIONS

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Wear appropriate protective clothing to prevent contact with skin and eyes. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode when heated

#### FLAMMABLE PROPERTIES AND HAZARDS No data available.

SECTION 6 ACCIDENTAL RELEASE MEASURES	SECTION 6		
---------------------------------------	-----------	--	--

#### NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. National Response Center (24-HR Reporting): (800) 424-8802.

#### SAFETY PRECAUTIONS

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Vapors can accumulate in low areas. For industrial use only. Keep out of reach of children.

#### CONTAINMENT AND CLEANUP

Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions. Absorb spill with inert material and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7	HANDLING AND STORAGE	
PRECAUTIONS TO BE	TAKEN IN HANDLING	

Wash thoroughly after handling. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Keep container tightly closed.

Do not ingest or inhale. Use with adequate ventilation. Unvented containers may develop pressure — use with caution.

#### PRECAUTIONS TO BE TAKEN IN STORAGE

Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from freeze and high temperatures (>140 °F). Keep away from sparks, heat and flame. Do not mix with oxidizing materials.

ECTION 8	EXPOSUR	E CONTROLS / PERSONAL PF	ROTECTION	
CAS #	Ingredients	OSHA TWA	ACGIH TWA	Other Limits
102-71-6	Triethanolamine	N/A	TLV: 5 mg/m3	N/A
141-43-5	Ethanol, 2-Amino-	PEL: 3 ppm	TLV: 3 ppm STEL: 6 ppm	N/A

#### ENGINEERING CONTROLS

The level of ventilation necessary will vary depending upon potential exposure conditions. Adequate ventilation should be provided so that exposure limits are not exceeded. If heavy misting is present, local exhaust ventilation should be considered in addition to general mechanical ventilation.

#### WORK/HYGIENIC/MAINTENANCE PRACTICES

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing separate from home laundry and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping. Do not store work clothing and protective equipment in the same locker as personal clothing.

#### N/A =

#### PERSONAL PROTECTIVE EQUIPMENT

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal use.

=

Respiratory Protection If vapors or mists are present and if engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, a NIOSH/MSHA approved respirator may be appropriate. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Types of respirators to be considered for this material include: Air-Purifying Half-Face Respirator with organic vapor cartridges.

Hand Protecäon Wear appropriate protective gloves to prevent skin exposure. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include: Nitrite.

Eye Protecäon Safety glasses are recommended. If splashing is likely, safety goggles or safety glasses with splash shield are recommended. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

syn and Body Protecäon No specific protective equipment is needed under normal use conditions. In general, the types of clothing to be considered for this material include: Long-sleeved shirt and pants, at a minimum.

OTHER PROTECTIVE EQUIPMENT Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	Clear Yellow	Specific Gravity (water = 1)	1.02
<b>Physical State</b>	Liquid	Vapor Pressure	N/D
Odor	Soap	Viscosity	N/D
pH	10	Evaporation Rate (water = 1)	N/D
<b>Melting Point</b>	N/A	Volatile Organic Compounds (%)	7
<b>Boiling Point</b>	N/A	Solubility in Water	Completely

SECTION 10	STABILITY / REACTIVITY
Chemical Stability	Unstable [ ] Stable [ X ]
Conditions to Avoid	Excess heat
Reactivity / Incompatibility	Strong oxidizing agents, strong acids, strong bases
Hazardous Decomposition	Material does not decompose at ambient temperature. Thermal decomposition can produce a variety

of compounds, the nature of which will largely depend on the conditions bringing about decomposition. Incomplete combustion or thermal decomposition may be expected to generate such materials as: particulate matter and unburned, hydrocarbons; oxides of carbon; and other unidentified organic and inorganic compounds.

Hazardous Reactions	Will occur [ ] Will not occur [X]	
SECTION 11	TOXICOLOGICAL INFORMATION	

#### CARCINOGENICITY

Product is not tested for carcinogenicity. No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen, except as identified below; IARC•. Not Listed ACGIH: Not Listed NTP: Not Listed

=

## PRODUCT TOXICOLOGICAL DATA

Product is not tested for classification under the following categories:

LD50 (Oral), LC50 (Inhalation), Dermal Toxicity (Skin), Skin Corrosion/Irritation, Serious Eye Damage/Irritation, Respiratory/ Skin Sensitization, Germ Cell Mutagenicity, Carcinogenicity, Reproductive Toxicity, STOT-single exposure, STOR-repeated exposure, Aspiration Hazard

#### INGREDIENT TOXICOLOGICAL DATA

None of the ingredients above 1% concentration (0.1% for carcinogens) trigger the hazard rating or classify under the following categories, unless indicated below:

LD50 (Oral), LC50 (Inhalation), Dermal Toxicity (Skin), Skin Corrosion/Irritation, Serious Eye Damage/Irritation, Respiratory/ Skin Sensitization, Germ Cell Mutagenicity, Carcinogenicity, Reproductive Toxicity, STOT-single exposure, STOR-repeated exposure, Aspiration Hazard

SECTION 12	ECOLOGICAL INFORMATION	
General Ecological Information Bioaccumulative Potential	N/AV. Persistence and Degradability N/AV. Mobility in Soil	
SECTION 13	DISPOSAL CONSIDERATIONS	

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Contact a licensed professional waste disposal service to dispose of this material. Preferred method of disposal is to dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Contaminated Packaging Dispose of as unused product.

Empty Containers Clean empty containers of any residue per 40CFR261.7 guidelines and either recycle containers or dispose of in normal trash.

SECTION 14	TRANSPORT INFORMATION			
	LAND (US DOT)	MARINE (IMDG)	AIR (IATA)	
Proper Shipping Name	N/A			
Hazard Class	N/A			
ID Number	N/A			
Packaging Group	N/A			

Additional Information DOT Quantity Limitation: N/A DOT Label for Umited Quantities: N/A

**SECTION 15** 

#### **REGULATORY INFORMATION**

## EPA SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986) LISTS

[302 (EHS) TPQ 304 CERCLA RQ 304 EI-IS RQ 313 (TRI)]

None of the ingredients above 1% concentration (0.1% for carcinogens) are identified in the list

#### Page50f6

N/A = =		
SARA TITLE III SECTION 311/312 CATEGORIZATION (40 CFR 370)	Ye <u>s N</u> o	
Acute (immediate) Health Hazard	х	
Chronic (delayed) Health Hazard	х	
Fire Hazard	х	
Su <u>dden R</u> elease <u>of Pres</u> sure Hazard	х	
Reactive Hazard		<b>X</b>

#### STATE AND OTHER US EPA REGULATIONS

California Prop. 65 - N/A

## WHMIS CLASSIFICATION (1988) 02B (Stylized T)

This product has been classified in accordance with hazard criteria of the Controlled Produce Regulations and the MSDS conujns all **the** information required by the Controlled Products Regulations.

#### NATIONAL INVENTORIES

TSCA	Yes	AICS	N/D
CAA HAP, ODC	No	IECSC	N/D
CWA NPDES	No	EINECS	N/D
CEPA (DSL/NDSL)	Yes	ENCS	N/D
KECI	N/D	PICCS	N/D

#### **SECTION 16**

OTHER INFORMATION

#### Adonal GHS PHRASES

GHS phrases provided below are in addition to the phrases available in Section 2. GHS phrases are identified in accordance with GHS regulations and a triggered for each hazard category.

None

NFPA RATING Health (Blue): 1 Flammability (Red): 1 Reactivity (Yellow): O Specific Hazard(s) (White): None

#### THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS

EU format MSDS to GHS format SDS; Ingredient/percentage

USER RESPONSIBILITY It is the user's responsibility to determine the suitability and adopt precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of this product.

THE IB&ORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE RELIABLE AND ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.